4D method

4D User Group

March 13, 2019





Agenda

- I. About 4DMethod
- 2. 4D News, Jim Sobczak, Donna Gallis
- 3. Wakanda News, Ricardo Mello
- 4. Virtual Structure redux Kirk Brooks
- 5. The 4D iNUG E-Digest, Ed Hammond
- 6. What the Blog?
- 7. Special topic: mdWebSocket, 4D WebSockets component, Matt Davis
- 8. General Q & A
- 9. Next meeting May 8, 2019

Welcome



Brent Raymond

4D method

4D User Group

4dmethod.com

4dmethod@gmail.com


4D method

4D User Group

- Bring together a scattered community of developers and users
- Stream meetings via YouTube Live to allow people to participate from anywhere
- Record meetings and presentations to be viewed again or shared with others
- Provide fresh new content and exposure for users and developers everywhere

4D method

Guest host in person at AIC



Kirk Brooks





Jim Sobczak

VP of Sales & Services for 4D, Inc.

OEM Manager

jsobczak@4d.com



Donna Gallis

Field Marketing Manager dgallis@4D.com



TAKE A TRIP WITH US

and journey through the best of 4D.

Two days to increase your skill and learn about 4D v17



40 stops, 40 cities

Chicago, April 1-2

Boston, April 4-5

Atlanta, April 8-9

Wakanda News



Ricardo Mello

Chief Commercial Officer

Wakanda.io

ricardo.mello@wakanda.io

https://www.linkedin.com/in/ ricardodemello



Wakanda News

End Of Support For Community Edition

^ What does end of support for Community Edition mean for users?

As of February, 4th, 2019, Wakanda Community Edition will no longer be available for download on our website. The users will no longer be eligible for new releases or support. Only the Enterprise Edition will be available for download and support.

^ Will there be any new releases and upgrades in Wakanda platform?

Yes! The Enterprise Edition is still here for the long haul. Each new release will be available for download. We offer an opportunity for a 30 days free trial to test it out.

^ Will existing releases for Wakanda Community Edition continue to be available?

Old releases are still available on Github but there will be no new updates.

^ How do I get Wakanda Enterprise Edition?

You can download the 30 days free trial on our download page. Contact us to know more about how we can help you make the best of it.

^ Has support ended for all users already using the Community Edition?

Yes. With the Community out of support and upgrades, we recommend that customers move to the Enterprise Edition.

4D method Virtual Structure redux



https://blog.4d.com/?s=2016+summit

https://www.youtube.com/watch?v=I6CBVqiMGhw



4) method Virtual Structure redux





4D method Virtual Structure redux

- Works well with access control system (field and record based privileges per user)
- Enables easier interface exposure of data stored in Object fields
- Encourages generic coding
- Inherently better data security due to abstraction of data access

```
"number": 4,
"constant": "Object_kVFArtistNatCulture",
"label": "Artist / Display",
"tableNumber": 3,
"tableName": "Objects",
"categoryNumber": 1,
"categoryName": "Attribution",
"searchable": true,
"viewable": true,
"batchChange": true,
"inputViewForm": "Object CreatorPlaces",
"columnWidth": 125.
"dataTypeNumber": 2,
"dataType": "Text",
"fieldModelNumber": 3,
"fieldModelName": "VF_kFldMdlTextRecsSingle",
"viewPrivilegeNumber": 290,
"viewPrivilegeLabel": "Objects:View Artist/Place Text",
"modifyPrivilegeNumber": 291,
"modifyPrivilegeLabel": "Objects:Modify Artist/Place Text",
"callbackMethodRetrieval": "InterGet_RetrieveCommonVFs",
"callbackMethodQuery": "InterGet QueryCommonVFs",
"callbackMethodSort": "ObjMgr_ListViewColumnSort",
"callbackMethodBatchSave": "InterPut_SaveTextRecsData",
"searchComparators": {
    "values": [
        6,
```

4D method Virtual Structure Tips

- Start fresh: Begin a method/module/database with the intent of implementing the new coding techniques
- AVS is essentially a schema something most devs already have a lot of experience with
- Primarily about the UI and presentation of the data
 - Streamline the user's interaction with the data
 - Won't fix existing structural issues
- Easily extends to the new tools and options for data presentation (Form, dynamic form objects, DYNAMIC FORMS)

4) method Virtual Structure redux

```
$vsRecObj:=New object
$vsRecObj["field1"]:=New object("$ref";"#/foo/1")
$vsRecObj["field2"]:=New object("$ref";"#/")
$vsRecObj["field3"]:=New object("$ref";"#/deep/deeper/value")
$vsRecObj["field4"]:=New object("$ref";"#/billingAddress/street")
$vsRecObj["field5"]:=New object("$ref";"#/lastname")
                                                                                        {"$ref":"#/foo/1"}

    □ field1

    □ field2
                                                                                        {"$ref":"#/"}
                                                                       {"$ref":"#/deep/deeper/value"}
                                                                                        {"$ref":"#/billingAddress/street"}
                                                                       ≤ field4
                                                                                        {"$ref":"#/lastname"}
                                                                       // append the vs obj to the data object
    $dataObj.$vsRecObj:=$vsRecObj
     // resolve the pointers - the pointers in $vsRecObj are transformed to values
    $oResult:=JSON Resolve pointers($dataObj)

    □ field1

                                                                                       "baz"
     // remove the vs map
    OB REMOVE($dataObj;"$vsRecObj")

    □ field2

                                                                                       "asdfgr"

    □ field4

                                                                                       "95 S. Market Street"
                                                                   "Doe"
```

https://doc.4d.com/4Dv17R3/4D/17-R3/JSON-Resolve-pointers.301-3906940.en.html

4D method Virtual Structure redux

```
$oVSdef:=New object
$oVSdef["field1"]:=New formula($1.foo[1])
$oVSdef["field2"]:=New formula($1[""])
$oVSdef["field3"]:=New formula($1.deep.deeper.value)
$oVSdef["field4"]:=New formula($1.billingAddress.street)
$oVSdef["field5"]:=New formula($1.lastname)
$oVSdef["field6"]:=New formula(Uppercase($1.lastname))
$oVSdef["field7"]:=New formula($1[" "]*2)
$oVSdef["field8"]:=New formula($1[" "]+$1["e^f"])
$oVSdef["field9"]:=New formula("My favorite number: "+String($1[" "]))
```

```
$vsRecObj2:=New object
$vsRecObj2["field1"]:=$oVSdef["field1"]($dataObj)
$vsRecObj2["field2"]:=$oVSdef["field2"]($dataObj)
$vsRecObj2["field3"]:=$oVSdef["field3"]($dataObj)
```

□ field1	"baz"
field2	0
□ field3	"asdfgr"
field4	"95 S. Market Street"
field5	"Doe"
field6	"DOE"
□ field7	14
□ field8	10
□ field9	"My favorite number: 7"

The 4D iNUG E-Digest Ed Hammond



- Wide breadth of topics and 4D tech issues
- Take advantage of a wealth of 4D experience and knowledge
- Check out http://4dmethod.com/e-digests/ for a list of recent topics being discussed in the iNUG
- To register:

 http://lists.4d.com/mailman/listinfo
- All discussion accessible online at: http://4d.1045681.n5.nabble.com





• 4D Write Pro



- Now supports virtual structures!
- Get coordinates
- Say hello to Vertical ruler
- 4D View Pro



- Name your ranges and formulas
- Get and Set cell content
- Code a range

- 4D for iOS
 - Restricted queries
 - Create a custom data formatter
 - Multi-criteria search in 4D for iOS



https://blog.4d.com





Easily synchronize your processes

```
// Creation of a signal
$signal:=New signal

// call main process and execute OpenForm method
CALL WORKER(1;"OpenForm";$signal)

// do another calculation
...

// Waiting for the end of the process
$signaled:=$signal.wait()

// Calculate the results
$calc:=$signal.result+...
```

```
$signal:=$1
$form:=New object("value";0)

// Open the form and ask the user for a value
$win:=Open form window("Information"; Movable form dialog box)

DIALOG("Information"; $form)

CLOSE WINDOW($win)

// Add a new attribute to $signal to pass result to other process
Use ($signal)
    $signal.result:=$form.value
End use

// Trigger the signal for the waiting process
$signal.trigger()
```





A new way to send mails

This code builds and sends an email:

```
C OBJECT($server)
$server:=New object
$server.host:="mail.smtp.host" // Mandatory
$server.port:=25 // Optional, default value: 587
$transporter:=SMTP New transporter($server)
C OBJECT($email)
$email:=New object
$email.subject:="my first mail"
$email.to:="test.mail@4d.com"
$email.from:="test.noreply@4d.com"
$email.textBody:="this is a test"
$email.attachments:=New collection(MAIL New attachment("schedule.xlsx"))
$status:=$transporter.send($email)
If(Not($status.success))
  ALERT("An error occurred sending the mail: "+$status.statusText)
End if
```





- Preemptive processes on 4D remote
 - Everything that's valid on the server, runs the same on the client!





Special Topic: mdWebSocket, 4D WebSockets component

Matt Davis

IT Director Bedrooms and More

https://www.linkedin.com/in/matt-davis-936917123/



BEDROOMS & MORE

FAMILY OWNED



Questions?



Next Meeting



http://4dmethod.com/schedule/

Next Meeting

Calling for speakers who would like to demo some of their work or applications. Open dates include:

- May 8, 2019
- July 3, 2019

Suggestions:

Round table discussion for independent developers?

Pre-recorded project talk/ discussion

Future 4D - round table discussion about 4D growth and dev

Wrap Up

Other questions?

Discussion

Feedback is appreciated

Support us on patreon

https://www.patreon.com/4dmethod